

MOLE ABRASIVE CILINDRICHE O SAGOMATE SU PERNO

MOUNTED POINTS AND WHEELS



Tabella dei prodotti standard/ Standard items range


Ø mm	Spessore mm/ Thickness mm														
	4	6	8	10	12	15	20	25	30	35	40	45	50	60	70
2		13A 100 Q 5V													
3		13A 100 Q 5V	13A 100 Q 5V												
4	13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V										
5		13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V									
6		13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V	9A 80 P 5V	9A 80 P 5V							
8			13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V	9A 80 P 5V							
10	13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V	13A 80 Q 5V	9A 60 P 5V	9A 60 P 5V	9A 60 P 5V						
12	13A 60 Q 5V	13A 60 Q 5V	9A 60 P 5V	9A 60 P 5V	9A 60 P 5V	9A 60 P 5V	9A 60 P 5V	9A 60 P 5V	9A 60 P 5V						
15	13A 60 Q 5V	13A 60 Q 5V	9A 60 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V				
20	13A 60 Q 5V	9A 60 P 5V	9A 60 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 36/46 P 5V		
22											9A 46 P 5V	9A 46 P 5V	9A 36/46 P 5V		9A 36/46 P 5V
25		9A 60 P 5V	9A 60 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V				
30		9A 60 P 5V	9A 60 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V		
35				9A 46 P 5V	9A 46 P 5V	9A 46 P 5V				9A 36/46 P 5V	9A 36/46 P 5V				
40		9A 60 P 5V	9A 60 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V		
45				9A 46 P 5V	9A 46 P 5V	9A 46 P 5V									
50		9A 60 P 5V	9A 60 P 5V	9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V	9A 36/46 P 5V		
60				9A 46 P 5V	9A 46 P 5V	9A 46 P 5V	9A 36/46 P 5V								
70				9A 46 P 5V	9A 46 P 5V	9A 46 P 5V									

 = Produzione standard con perno Ø3 mm / Standard production on Ø3 mm shaft

 = Produzione standard con perno Ø3 e Ø6 mm / Standard production on Ø3 and Ø6 mm shaft

 = Produzione standard con perno Ø6 mm / Standard production on Ø6 mm shaft

Codice Sagoma/ Shape code



Ø mm	Spessore mm/ Thickness mm														
	4	6	8	10	12	15	20	25	30	35	40	45	50	60	70
2	•	••	•												
3	•	••	••	•	•	•	•								
4	••	••	•••	•••	••	•	•								
5	•	••	••	•••	••	••	•								
6	•	•••	••	•••	••	•••	••	•							
8	•	•	•••	••	•••	•••	•••	••							
10	••	••	••	•••	•••	•••	•••	••	••	•	•				
12	••	••	••	•••	•••	••	•••	••	••	•	•	•			
15	••	••	••	••	••	•••	•••	••	•••	••	•••	•	•		
20	•••	••	••	••	••	•••	•••	•••	•••	••	•••	••	•••	•	•
22		•	•	•	•	•	•	•	•	•	••	••	••	•	••
25		••	••	••	••	••	•••	•••	•••	••	•••	•	••	•	•
30		••	••	•••	••	••	•••	•••	•••	••	•••	••	•••	•	
35		•	•	••	••	••	•	•	•	••	••	•	•	•	
40		••	••	•••	••	••	•••	••	•••	••	•••	••	•••	•	
45		•	•	••	••	••	•	•	•	•	•	•	•	•	
50		••	••	••	•••	•••	•••	••	••	••	•••	••	•••	•	
60				••	••	••	••	•	•	•	•	•	•	•	
70				••	••	••	•	•	•	•	•	•	•	•	

••• = Disponibilità/ Availability

Abrasivi Normali/ Standard Abrasives

5A	Grigio/ Grey
7A	Azzurro/ Blue
8A	Rosso mattone/ Brick-red
9A	Rosa/ Pink
10A	Bianco/ White

Abrasivi Speciali/ Special Abrasives

11A	Monocristallino/ Single-cristal Al. Ox.
13A	Rubino/ Rubin
5C	Carbosilicio grigio/ Grey silicon carbide
8C	Carbosilicio verde/ Green silicon carbide

Super Abrasivo/ Super Abrasive

5MC	SG Microcristallino/ Microcrystalloid SG
-----	--

Mole su gambo a legante Resinoide: prezzi a tabella (ordine minimo= 300pz.)
Mole con Specifica e/o Ø perno diversi da quanto presente sulla "Tabella dei Prodotti Standard" = + 45%

Mole con Abrasivi Speciali

Per mole piccole, (caselle verdi e gialle) = prezzi a tabella
Per mole medie e grandi Standard, (caselle azzurre) = + 70%
Per altre mole, (caselle bianche) = + 18%
Mole in Super Abrasivo (5MC): prezzi a richiesta

Mole Sagomate

Mole sagomate = +15%
Mole sferiche = +25%
Mole cilindriche con foro, (con e senza incavo) = +64%
Mole con perni speciali, lunghi o filettati = prezzi a richiesta

Resinoid bond mounted wheels: see price table (minimum order= 300 pcs.)
Mounted wheels with specification and/or shaft Ø different from the "Standard Items Range" = + 45%

Special Abrasives wheels

Small wheels, (green and yellow squares) = see price table.
Medium and large Standard wheels, (blue squares) = + 70%
Other wheels, (white squares) = + 18%
Super-Abrasive wheels (5MC): prices on request

Shaped wheels

Shaped mounted points = +15%
Spherical mounted points = +25%
Straight wheels with hole, (also recessed one side) = +64%
Special shaft mounted wheels, long or threaded-shaft = price on demand

Per quantità superiori a 600 pz. Extra Sconto del: 9% sui prodotti Standard, 25% sui prodotti fuori standard e mole con foro

For quantity over 600 pcs. Extra Discount of: 9% on Standard items, 25% on out of standard items and wheels with hole.

KIT DI MOLE SU PERNO Ø3mm

KIT OF MOUNTED POINTS ON Ø3mm SHAFT




Mini-mole abrasive in Corindone Super-Rubino montate su perno Ø3mm. per rettificare e smerigliare particolari in acciai comuni ed inox anche temprati. Particolarmente adatto per ritocchi su stampi e manutenzioni varie.

Abrasive mini-wheels of Super-Rubin Aluminium Oxide, mounted on Ø3mm. shaft, for grinding and finishing applications on common, hardened and stainless steel. Excellent for touching up of moulds and all maintenance jobs.

KIT MP3 - MOLE CILINDRICHE

KIT MP3 - STRAIGHT MOUNTED WHEELS



Articolo Item	••• = Disponibilità Availability
MP3 KIT CIL	•••

Box contenente n° 100 mole cilindriche assortite da Ø2x6 mm a Ø6x10 mm (20 pezzi/ tipo).
No. 100 assorted straight mounted wheels from Ø2x6 mm up to Ø6x10 mm, (20 pieces/ size), into a suitable box.

KIT MP3 - MOLE SAGOMATE

KIT MP3 - SHAPED MOUNTED POINTS



Articolo Item	••• = Disponibilità Availability
MP3 KIT SAG	•••

Box contenente n° 100 mole sagomate assortite da Ø4 mm a Ø10mm (10 pezzi/ sagoma).
No. 100 assorted shaped mounted points from Ø4 mm up to Ø10 mm, (10 pieces/ shape), into a suitable box.

CARTRIDGE ROLLS

CARTRIDGE ROLLS

CARTRIDGE ROLLS KIT

Box contenente 123 Cartridge Rolls + 2 mandrini

No.123 Cartridge Rolls + No.2 mandrels into suitable plastic box

Sagoma Shape	Ø mm x h	A80	A120	Max r.p.m.	
Cil./ Straight	10 x 38	12 pcs.	12 pcs.	22.000	•••
Cil./ Straight	13 x 38	8 pcs.	8 pcs.	22.000	
Cil./ Straight	6 x 38	12 pcs.	12 pcs.	22.000	
Cil./ Straight	6 x 25	16 pcs.	16 pcs.	22.000	
Cil./ Straight	10 x 25	6 pcs.	6 pcs.	22.000	
Conical	13 x 38	6 pcs.		22.000	
Conical	10 x 38	9 pcs.		22.000	
Mandrino	6 x 24	1 pcs.			
Mandrino	6 x 19	1 pcs.			

••• = Disponibilità/ Availability

Rotolini di tela abrasiva di forma cilindrica o conica per smerigliare o rifinire, anche frontalmente, spigoli, incavi o superfici di difficile accesso, su stampi, ingranaggi, tubi in acciaio, inox, alluminio e metalli in genere, su macchine frontali o angolari elettriche o pneumatiche.

Small abrasive straight or conical-shaped cloth rolls, for grinding or sanding, by head too, corners, edges or difficult admittance surfaces of moulds, gears, pipes of common, hardened and stainless steel, aluminium and any kind of metal, with frontal or angular pneumatic or electric machines.



CARTRIDGE ROLLS CILINDRICI (CONFEZIONE DA 200 PEZZI)

STRAIGHT CARTRIDGE ROLLS (PACKAGING 200 PIECES)

Ø mm x h	A60	A80	A120	Max r.p.m.	
3 x 19	84830	84831	84836	22.000	•
4,5 x 19	80004	80005	80007	22.000	••
6 x 19	80042	80043	80045	22.000	••
6 x 25	80061	80062	80064	22.000	••
10 x 25	80213	80214	80216	22.000	•••
10 x 38	80231	80232	80234	22.000	•••
13 x 25	80288	80289	80291	22.000	•••
13 x 38	80307	80308	80310	22.000	•••
20 x 25	80458	80459	80461	18.000	•••
20 x 38	80477	80478	80480	18.000	•••
25 x 38	80587	80583	80785	10.000	••

••• = Disponibilità/ Availability



CARTRIDGE ROLLS CONICI (CONFEZIONE DA 200 PEZZI)

CONICAL CARTRIDGE ROLLS (PACKAGING 200 PIECES)

Ø mm x h	A60	A80	A120	Max r.p.m.	
10 x 25	81714	81715	81717	22.000	••
13 x 25	81734	81735	81737	22.000	•••
13 x 38	81744	81745	81747	22.000	•••
20 x 25	81796	81797	81799	18.000	•••
20 x 38	81286	80086	80697	18.000	•••
25 x 38	81866	81867	81869	10.000	••

••• = Disponibilità/ Availability

